



MATERIAL SAFETY DATA SHEET (MSDS)

Baseboard Stripper

Aerosol Baseboard Stripper

Specialty Cleaners



SECTION I ▶ PRODUCT IDENTIFICATION					
Product Name		Product Type		WHMIS Classification	
Baseboard Stripper		Aerosol Baseboard Stripper		A, E, D1A, D2B	
SECTION II ▶ HAZARDOUS INGREDIENTS					
Chemical Name		Cas Registry No.	%	Toxicity	
Sodium Metasilicate, Anhydrous		6834-92-0	1-5	LD50ORAL(RAT) 600 mg/kg	
Ethylene Glycol Monobutyl Ether		111-76-25	1-5	LD50ORAL(RAT) 1480 mg/kg	
Propane		74-98-6	0.1-1.0	Not Available	
Isobutane		75-28-5	1-5	Not Available	
SECTION III ▶ PHYSICAL DATA					
Appearance	Odour	pH	Boiling Point	Specific Gravity	Solubility in Water
Cloudy white liquid	Scented	N/A	100 °C	1.0	100 %
SECTION IV ▶ FIRE AND EXPLOSION HAZARD DATA					
Flash Point (°C): None			Extinguishing media: Not Applicable		
Special fire fighting procedures: Use self contained breathing apparatus. Use water fog to keep container cool.					
Unusual fire and explosion hazards: Contents under pressure. Container may explode if heated					
SECTION V ▶ TOXICOLOGICAL PROPERTIES					
HAZARD RATING: Health = 3 Flammability = 0 Reactivity = 2					Rating System 0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme
Swallowing: May cause burning sensation of the mouth and throat, abdominal pain, gastrointestinal irritation, nausea, vomiting and diarrhea.					
Inhalation: : May produce irritation of respiratory tract.					
Skin Absorption: Effect unknown					
Skin Contact: : May cause irritation					
Eye Contact: May cause irritation and possibly corneal damage.					
Special Warning: None					
SECTION VI ▶ FIRST AID MEASURES					
Ingestion: If patient is alert induce vomiting. Call a physician immediately.					
Inhalation: Remove to fresh air.					
Skin: Wash with soap and water for 15 minutes. Remove and wash contaminated clothing. If irritation persists, call a physician.					
Eyes: Flush with water for 15 minutes. Call a physician immediately.					
SECTION VII ▶ REACTIVITY DATA					
Stable: Yes					
Conditions to avoid: Temperatures above 49oC, open flames, heat or other sources of ignition.					
Incompatibility with other materials: Avoid contact with strong oxidizing agents, strong acids, strong reducing agents and organic materials					
Hazardous decomposition products: CO, CO2					
Hazardous polymerization: Will not occur.					
SECTION VIII ▶ PREVENTIVE MEASURES					
Hand protection: Wear chemical resistant gloves					
Eye protection: Safety glasses with side shields					
Ventilation: General					
Respiratory protection: None					
Other protective equipment: None					
Steps to be taken in case material is released or spilled: Ventilate. Remove all sources of ignition. Wear protective equipment. Collect absorbent material for disposal. If necessary, neutralize the residue with a dilute solution of acetic acid.					
Waste disposal method: When container is empty, press button to release all pressure then dispose of in garbage can. Use standard waste disposal methods in accordance with municipal, provincial and federal regulations.					
Precautions to be taken in handling and storage: Store in a dry, cool, well ventilated area below 50oC. Keep from freezing. Do not place in hot water or near radiator, stove or other sources of heat.					
Other precautions: Follow label use instructions.					
UN: 1950		TDG Class: 2.1 (Ltd Qty)		Packing Group: Not Applicable	
TDG Emergency Telephone Number: 613-996-6666 (COLLECT)					
SECTION IX ▶ PREPERATION DATA					
Prepared by: D.R. Dunlop			Last updated: August 1, 2012		
Location: Dustbane Products Limited, 25 Pickering Place, Ottawa, Ontario, K1G 5P4 – 613-745-6861					

Baseboard Stripper

Water soluble deodorizer

“Excellent foam cleaner which clings to vertical surfaces to remove floor finish and soil build-up.”

FEATURES AND BENEFITS

Heavy duty stripper: Removes wax and copolymer floor finishes.

Convenient packaging: Fast, effective and easy to use.

Does not contain C.F.C.: Does not affect the ozone layer.

WHERE TO USE

For baseboards, floors, corners, tiles and porcelain.

HOW TO USE

Shake well. Hold can upright 15-25cm from surface. For stubborn films, rub with a wet scrub pad or sponge. Wipe all residues off surfaces with wet sponge. Gloves should be worn when wiping off residues, since product is corrosive. Be sure to remove any overspray as soon as possible.

SPECIFICATIONS

Appearance: Aerosol

Fragrance : Scented

WHMIS : Yes

TDG : Yes