

MATERIAL SAFETY DATA SHEET

SECTION 1--PRODUCT IDENTIFICATION AND USE

| | | | |
|---|---|--|---|
| PRODUCT IDENTIFIER: HANDEE JANITOR SWEEPING COMPOUND (Econo Sweep) | | PRODUCT IDENTIFICATION NUMBER (PIN): | |
| PRODUCT USE: FLOOR SWEEPING COMPOUND | | | |
| MANUFACTURE'S NAME: TORONTO SALT & CHEMICALS LTD. | | SUPPLIER'S NAME: TORONTO SALT & CHEMICALS LTD. | |
| STREET ADDRESS: 275 GLIDDEN ROAD | | STREET ADDRESS: 275 GLIDDEN ROAD | |
| CITY: BRAMPTON | PROVINCE: ONTARIO | CITY: BRAMPTON | PROVINCE: ONTARIO |
| POSTAL CODE: L6W 1H9 | EMERGENCY TELEPHONE NO.: 905-459-9647 | POSTAL CODE: L6W 1H9 | EMERGENCY TELEPHONE NO.: 905-459-9647 |

SECTION 2--HAZARDOUS INGREDIENTS

| HAZARDOUS INGREDIENTS | % | CAS NUMBER | EXPOSURE LIMITS | LC ₅₀ OF INGREDIENT (SPECIFY SPECIES) |
|------------------------------|---------|---------------|-----------------|--|
| GROUND WOOD (SAWDUST) | | | 5 mg / m3 | NOT AVAILABLE |
| OIL (MINERAL) | | 8012-95-1 | 5 mg / m3 | NOT AVAILABLE |
| SILICON-CRYSTALLINE | 40 - 60 | 14808-60-7 | 0.1 mg /m3 | NOT AVAILABLE |
| WATER | | NOT AVAILABLE | NOT APPLICABLE | NOT AVAILABLE |

SECTION 3--PHYSICAL DATA

| | | | | | |
|--|--|---|--|--|--|
| PHYSICAL STATE: SOLID. | | ODOUR AND APPEARANCE: PINE / OIL ODOUR - GREEN / GRANULAR / FIBEROUS | | ODOUR THRESHOLD (ppm) NOT APPLICABLE | |
| VAPOUR PRESSURE (mm Hg) NOT APPLICABLE | VAPOUR DENSITY (AIR=1): NOT APPLICABLE | EVAPORATION RATE: NOT APPLICABLE | BOILING POINT: NOT APPLICABLE | FREEZING POINT (C): NOT APPLICABLE | |
| pH: NOT APPLICABLE | SPECIFIC GRAVITY: 1.65 | | COEFF. WATER/OIL DISTR: NOT APPLICABLE | | |

SECTION 4--FIRE AND EXPLOSION DATA

| | | |
|--|---|--|
| FLAMMABILITY: YES: NO: X IF YES, UNDER WHICH CONDITIONS? MATERIAL IS NOT FLAMMABLE AT STANDARD AMBIENT CONDITIONS. | | |
| MEANS OF EXTINCTION: WATER, CARBON DIOXIDE, FOAM, ETC. | | |
| FLASHPOINT (C) AND METHOD: >200 | UPPER FLAMMABLE LIMIT (% BY VOLUME): NOT APPLICABLE | LOWER FLAMMABLE LIMIT (% BY VOLUME): NOT APPLICABLE |
| AUTOIGNITION TEMPERATURE (C): >400 | HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, ALDEHYDES, (FORMALDEHYDE) | |

| | | |
|-----------------------------------|--|---|
| EXPLOSION DATA: NOT APPLICABLE | SENSITIVITY TO IMPACT: NOT APPLICABLE | SENSITIVITY TO STATIC DISCHARGE: NOT SENSITIVE |
|-----------------------------------|--|---|

SECTION 5--REACTIVITY DATA

| |
|---|
| CHEMICAL STABILITY YES: <input checked="" type="checkbox"/> NO: <input type="checkbox"/> IF NO, UNDER WHICH CONDITIONS?: MATERIAL IS STABLE AT STANDARD AMBIENT CONDITIONS |
| INCOMPATIBILITY WITH OTHER SUBSTANCES YES: <input type="checkbox"/> NO: <input checked="" type="checkbox"/> IF SO, WHICH ONES?: THE PRODUCT IS COMPATIBLE WITH MOST INDUSTRIAL MATERIALS. |
| REACTIVITY, AND UNDER WHAT CONDITIONS: THE MATERIAL WILL REACT WITH MINERAL ACIDS(HCL, HF, HNO3,H2SO4, ETC.) TO RELEASE CARBON DIOXIDE. |
| HAZARDOUS DECOMPOSITION PRODUCTS: AT HIGH TEMPERATURE, THE PRODUCT WILL DECOMPOSE INTO CARBON DIOXIDE, CARBON MONOXIDE, AND ALDEHYDES (FORMALDEHYDE). |

SECTION 6--TOXICOLOGICAL PROPERTIES

| | | | |
|--|--|--|-------------------------------------|
| ROUTE OF ENTRY INHALATION:N/A SKIN CONTACT: X SKIN ABSORPTION: N/A EYE CONTACT: X INGESTION:X | | | |
| EFFECTS OF ACUTE EXPOSURE TO PRODUCT: DIRECT SKIN CONTACT WITH THE PRODUCT WILL NOT CAUSE SERIOUS INJURY, BUT PEOPLE WITH ALLERGIES MAY EXPERIENCE SLIGHT IRRITATION. DIRECT EYE CONTACT MAY CAUSE ABRASION AND IRRITATION OF EYE TISSUE. | | | |
| EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: NO ILL EFFECTS ARE EXPECTED FROM CHRONIC EXPOSURE TO THE PRODUCT. | | | |
| EXPOSURE LIMITS: 5 MG/M3 (NUISANCE DUST) | IRRITANCY OF PRODUCT: NOT IRRITATING (ONLY IN CASE OF ALLERGIES) | SENSATION TO PRODUCT: NOT SENSITIZING | CARCINOGENITY: NOT APPLICABLE |
| TERATOGENICITY: NOT APPLICABLE | REPRODUCTIVE TOXICITY: NOT APPLICABLE | MUTAGENICITY: NOT APPLICABLE | SYNERGISTIC PRODUCTS: NONE KNOWN |

SECTION 7--PREVENTIVE MEASURES

| | | |
|---|---|----------------------------------|
| PERSONAL PROTECTIVE EQUIPMENT: | | |
| GLOVE(SPECIFY): REGULAR WORKING GLOVES | RESPIRATOR (SPECIFY): NOT REQUIRED | EYE (SPECIFY): SAFETY GLASSES |
| FOOTWEAR(SPECIFY): WORKING SHOES(BOOTS) | CLOTHING (SPECIFY): REGULAR WORKING CLOTHING | OTHER (SPECIFY): |
| ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS): NONE REQUIRED | | |
| LEAK AND SPILL PROCEDURE: GATHER SPILL PRODUCT FOR REUSE OR DISPOSAL | | |

WASTE DISPOSAL:
DISPOSE THE WASTE PRODUCT THROUGH AN AUTHORIZED WASTE DISPOSAL AGENCY.

HANDLING PROCEDURES AND EQUIPMENT:
NO SPECIAL PROCEDURE REQUIRED TO HANDLE THE MATERIAL.

STORAGE REQUIREMENTS:
THE PRODUCT SHOULD BE STORED IN DRY PLACE-STORAGE CONDITION.

SPECIAL SHIPPING INFORMATION:
MATERIAL IS CHEMICALLY INERT - NON FLAMMABLE CLASS D/2

SECTION 8--FIRST AID MEASURES

SPECIFIC MEASURES:
SKIN - WASH WITH SOAP AND WATER
EYE - WASH WITH WATER FOR AT LEAST 15 MINUTES OR UNTIL THE ABRASIVENESS DISAPPEARS
INHALATION - PRODUCT IS DUST FREE - NO INHALATION CAN OCCUR
INGESTION - IN CASE OF INGESTION, DRINK PLENTY OF MILK AND LET NATURE TAKE ITS COURSE.
GENERAL ADVISE - PRACTICE GOOD HYGIENE.

SECTION 9--PREPARATION DATE OF MSDS

PREPARED BY :
(GROUP, DEPARTMENT)

PHONE NUMBER:
905-459-9647

DATE:
December 1, 2010

ALTHOUGH THE INFORMATION PRESENTED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, IS MADE REGARDING THE INFORMATION PRESENTED. WE ASSUME NO LIABILITY FOR INCIDENTAL, CONSEQUENTIAL, OR DIRECT DAMAGES OF ANY KIND, NO MATTER WHAT THE CAUSE, INCLUDING NEGLIGENCE. THE INFORMATION PRESENTED IN THIS DOCUMENT IS FURNISHED TO YOU, FOR YOUR USE ON PRODUCTS OR PROCESSES SUPPLIED BY US TO YOU.

EXTRACTED FROM SUPPLIERS MSDS.